

# ATH Cross Lift 50 OGA

## Product Images

---



## Description

---

- High quality and robust hydraulic drive platforms scissor lift who require minimal maintenance
- Powerful hydraulic unit with load-dependent lowering speed controller
- Suitable installation on-ground with inclusive Kit for surface mounting
- With recesses for turning plates in the front and mechanically lockable sliding plates in the back, free-wheel lift (loading capacity: 4 t, lifting height: 450 mm), including rails for the optional rolling bridge jack, pluggable platforms-connections beams, incl. metal protections covers and switch for the optional 24V LED Lighting
- Emergency lowering device for lowering in case of power failure, monitoring of safety synchronization by light barrier
- Ideally suited for inspection, wheel alignment, repairing jobs and testing stations for driver assistance systems

## Additional Information

---

|                       |                                    |
|-----------------------|------------------------------------|
| Color                 | anthracite-grey / black            |
| Rated load capacity   | 5.000 kg                           |
| Lifting height max.   | 2.160 mm                           |
| Drive-on-height       | 295 mm                             |
| Total platform length | 5.000 mm                           |
| Total platform width  | 600 mm                             |
| Driving power         | 3,5 kW                             |
| Lifting/Lowering time | ca. 70 s                           |
| Power supply voltage  | 3x 400V / C16A                     |
| Concrete strength     | min. C20/25 5.500 x 3.000 x 200 mm |

